


PRODUCT DATA SHEET

FRAMELESS ALUMINIUM PROFILE
COLOR : ANODISED SILVER

80MM * 55MM
LENGTH : 5M



SP-80
SNAP OPEN ALUMINUM PROFILE

 SPECIFICATION


FINISHES
MATERIAL : ALUMINUM
COLOR : SILVER
FINISH TREATMENT : GLOSSY

NOTE:
1.ALL SPECIFICATIONS NEED TO COMPLY WITH ALL RESPECTIVE FEDERAL, LOCAL, AND LANDLORD-SPECIFIC CODES AND REGULATIONS.
2.WHERE THE CONTRACTOR PLANS TO USE MATERIALS THAT HAVE ALREADY BEEN USED IN THE BASE BUILD, THE CONTRACTOR SHOULD CONSIDER THE SAME MATERIAL AND SUPPLIER FOR FURTHER WORKS, AS REQUIRED.


 TECHNICAL PARAMETERS

ITEM CODE	SP80
PROFILE SIZE	80MM
ALUMINUM THICKNESS	1.5MM
WEIGHT	AROUND 1.35KG/M
ALLOY & TEMPER	6063,T5
STANDARD	GB5237-2008
OPEN WAY	SNAP OPEN
ASSEMBLING	USE METAL ANGLE TO COMBINE ALUMINIUM PROFILE INTO A FRAME
COLOUR	GLOSSY SILVER ,WHITE & BLACK, OTHER COLORS CAN BE CUSTOMIZED
LENGTH	5M/PIECE, OTHER LENGTH CAN BE CUSTOMIZED
TYPE	SINGLE SIDE
INSTALLATION	WALL
USAGE	FRAME OF FLEX BANNER LIGHT BOX
LIGHT SOURCE	BACK-LIT LEDS
GRAPHICS MATERIAL	FLEX BANNER
APPLICATION	HOTELS, SHOPPING MALLS,RAILWAY STATION, AIRPORT METRO STATION, ETC.

FRAME STRUCTURE




Front display




Fixing flex banner with slide fastener

ACCESSORIES DETAILS



INSTALLATION MANUAL FOR LIGHT BOX



PRODUCT DETAILS

