






ALUMINUM PROFILE PARAMETER

MODEL	P-EX/F & P-EX/O
PROFILE SIZE	120MM
ALUMINUM THICKNESS	1.2MM
WEIGHT	AROUND 2.12KG/M
ALLOY & TEMPER	6063 ,T5
STANDARD	GB5237-2008
OPEN WAY	SNAP OPEN
ASSEMBLING	USE METAL ANGLES TO COMBINE ALUMINUM PROFILE INTO A FRAME
COLOUR	SILVER ANODIZED & POWER COATED BLACK OR OTHER COLOURS CAN BE CUSTOMIZED
LENGTH	5.5M/ PIECE, OTHER LENGTH CAN BE CUSTOMIZED
TYPE	DOUBLE SIDE
INSTALLATION	HANGING
USAGE	FRAME FOR DIRECTION SIGNAGE
LIGHT SOURCE	EDGE-LIT LEDS OR BACK-LIT LEDS
GRAPHICS MATERIAL	ACRYLIC + UV PRINTING
APPLICATION	SHOPPING MALLS, HOTELS, CHAIN STORES ,BUS/RAILWAY STATION ,AIRPORT METRO STATION ,ETC.




P-EX/O




P-EX/F

FRAME STRUCTURE





FIXED



OPEN



ACCESSORIES DETAILS



INSTALLATION MANUAL FOR DIRECTION SIGNAGE

